

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	64	(interrupt\$3 pop-up pop\$4 appear\$3 activat\$3 display\$3 overwrit\$3) with (notif\$ message status error) with ((different plural\$3 many multiple another second) near2 user near3 (ID userID identification login logon log-in log-on authenticat\$))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 14:07
S2	23	S1 and (@ad<"20020829" @rlad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 14:08
S3	89	user with (logon login log-on log-in shar\$3) with "same" with (display terminal PC screen) and (interrupt\$3 pop-up pop\$4 appear\$3 activat\$3 display\$3 overwrit\$3) with (notif\$ message status error) with (ID userID identification authenticat\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 14:31
S4	28	S3 and (@ad<"20020829" @rlad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 14:32
S5	237	(different plural\$3 multiple another second) near2 user with (shar\$3 near3 (display terminal PC screen)) and (interrupt\$3 pop-up pop\$4 appear\$3 activat\$3 display\$3 overwrit\$3) with (notif\$ message status error) with (ID userID identification authenticat\$ user logon login log-on log-in)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 14:39
S6	127	S5 and (@ad<"20020829" @rlad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 14:39

S7	22	(interrupt\$3 pop-up pop\$4 appear\$3 activat\$3 overwrit\$3 insert\$3 notif\$) near3 (notif\$ message status error window) with (display\$3 terminal PC screen) same ((different plural\$3 many multiple another second) near2 user near3 (ID userID identification login logon log-in log-on authenticat\$))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 15:07
S8	9	S7 and (@ad<"20020829"@rlad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 15:08
S9	20	(interrupt\$3 pop-up pop\$4 appear\$3 activat\$3 overwrit\$3 insert\$3) near3 (notif\$ message status error window) with (("same" shar\$3) near3 (display\$3 terminal PC screen)) same ((different plural\$3 many multiple another second) near2 (user ID userID login logon log-in log-on authenticat\$))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 15:11
S10	16	S9 and (@ad<"20020829"@rlad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 15:11
S11	534	(notif\$ inform\$3) with (interrupt\$3 pop-up pop\$4 appear\$3 activat\$3 display\$3 overwrit\$3 insert\$3) with (message status error notification window) with ((different plural\$3 many multiple another second) near2 (user ID userID identification login logon log-in log-on authenticat\$))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 15:14

S12	26	(notif\$ inform\$3) with (interrupt\$3 pop-up pop\$4 appear\$3 activat\$3 display\$3 overwrit\$3 insert\$3) with (message status error notification window) with ((different plural\$3 many multiple another second) near2 (user ID userID identification login logon log-in log-on authenticat\$)) and user with ((shar\$3 "same") near3 (display PC monitor scree))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 15:15
S13	11	S12 and (@ad<"20020829"@rlad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 15:16
S14	113	(interrupt\$3 pop-up pop\$4 insert\$3) with (screen display terminal PC) with (notif\$ message status error) with (user near3 (ID userID identification login logon log-in log-on authenticat\$))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 15:21
S15	63	S14 and (@ad<"20020829"@rlad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 15:21
S16	18	(pop-up pop\$4 adj up insert interrupt\$3 notif\$) with (host computer display\$3 PC screen) with print\$3 near3 (job error message) with (user near3 (ID login logon log-in log-on identification authentica))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 15:28
S17	19	(pop-up pop\$4 adj up insert interrupt\$3 notif\$) with (host computer display\$3 PC screen) with print\$3 near3 (job error message status) with (user near3 (ID login logon log-in log-on identification authentica))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 15:28

S18	9	S16 and (@ad<"20020829" @rlad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 15:28
S19	7	(message notification report) with interrupt\$3 with (user near2 session) with (display\$3 pop-up pop\$4 adj up screen PC computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 15:34
S20	124	(interrupt\$3 pop-up pop\$4 appear\$3 activat\$3 overwrit \$3) with (notification message status error report) with (user near3 (ID userID identification login logon log- in log-on authenticat\$)) with (PC computer screen monitor display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 15:37
S21	67	S20 and (@ad<"20020829" @rlad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 15:37
S22	408	(multiple plural\$3 many) near3 (user operator) with (logon login log-in log-on shar\$3 use using operate operating) with ("same" near3 (computer terminal display screen PC))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 16:00
S23	5	(multiple plural\$3 many) near3 (user operator) with (logon login log-in log-on shar\$3 use using operate operating) with ("same" near3 (computer terminal display screen PC)) and (print \$3 with (job error message report) with (inform\$3 notif\$ send\$3 sent) with (user operator))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 16:01
S24	2	("2003/0103081").URPN.	USPAT	OR	ON	2009/06/26 16:06

S25	30	(multiple plural\$3 many) near3 (user operator) with (logon login log-in log-on shar\$3 use using operate operating) with ((single "same") near3 (computer terminal display screen PC)) same print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 16:08
S26	46	(multiple plural\$3 many) near3 (user operator) with (logon login log-in log-on shar\$3 use using operate operating) with ((single "same") near3 (computer terminal display screen PC)) and print\$3 with (job error report status)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 16:26
S27	27	S26 and (@ad<"20020829" @rlad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 16:27
S28	0	(multiple plural\$3 many) near3 (user operator) with (logon login log-in log-on shar\$3 use using operate operating) with ("same" near3 (computer terminal display screen PC)) same (display near3 session)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 16:35
S29	279	(multiple plural\$3 many) near3 (user operator) with (shar\$3 use using operate operating) with (("same" single) near3 (computer terminal display screen PC)) and (user operator) with (logon login log-in log-on log adj (in on) authentic\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 16:37
S30	15	(multiple plural\$3 many) near3 (user operator) with (shar\$3 use using operate operating) with (("same" single) near3 (computer terminal display screen PC)) and (user operator) with (logon login log-in log-on log adj (in on) authentic\$) same print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 16:38

S31	6	S30 and (@ad<"20020829" @rlad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 16:38
S32	20	(multiple plural\$3 many) near3 (user operator) with (shar\$3 use using operate operating) with (("same" single) near3 (computer terminal display screen PC)) and (user operator) with (logon login log-in log-on log adj (in on) authentic\$) and (active near2 session)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 16:39
S33	5	S32 and (@ad<"20020829" @rlad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 16:39
S34	6	S31 and (@ad<"20020829" @rlad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 16:41
S35	138	S29 and (@ad<"20020829" @rlad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 16:41
S36	67	S35 and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 16:41
S37	59	(inform\$3 notif\$) with user with (print\$3 copy\$3 fax\$3) with (job status result error message report) with (display \$3 screen) with (ID login logon log-in log-on identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 13:13
S38	24	S37 and (@ad<"20020829" @rlad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 13:14

S39	9	(interrupt\$3) with user with (print\$3 copy\$3 fax\$3) with (job status result error message report) with (display \$3 screen) with (ID login logon log-in log-on identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 13:31
S40	4	S39 and (@ad<"20020829"@rlad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 13:32
S41	3	"20020143885"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 13:34

6/29/2009 3:03:10 PM

C:\Documents and Settings\fzhang\My Documents\EAST\Workspaces\10522626-3.wsp